



*Builders of Quality Yachts*

# BRUCKMANN 36.6

## BLUESTAR

### SPECIFICATIONS

LOA	36'6"
Beam	13'2"
Draft	32'
LWL	32'2"
Water Capacity	100 gal.
Displacement	18,000lbs
Fuel Capacity	320 U.S. gal.
Speeds	to 35 kts+
Twin Engines	Yanmar 315 hp inter-cooled turbo charged
Optional	370 or 440 hp

### STRUCTURE

- Fibreglass roving & unidirectional reinforcements over foam floors with limber holes
- Four full- length longitudinal floors forming the engine beds.
- Transverse frames bonded to hull & longitudinals.

### HULL CONSTRUCTION

- Vinylester resin throughout
- Single piece Core-Cell cored fibreglass molding



- Extra reinforcing as required
- Core phased out in way of all thru-hulls, struts, shaft log, rudder port & centre line



## DECK CONSTRUCTION

- Single piece Core-Cell cored fibreglass molding with non-skid pattern on all working surfaces
- Core phased out in way of all deck fittings
- Non-skid surfaces finished in Moon Dust Awlgrip
- Overlapping hull/deck joint bonded and fastened every 4"

## DECK

- All deck hardware & fittings 316 stainless steel
- Teak bow sprit with anchor roller
- 6 stainless steel 10" mooring cleats
- 4 custom chromed inline toe rail chocks
- 1 1/4" stainless steel bow rail extending aft to cockpit
- Large vinyl rub rail with stainless steel half round
- Solid 2 1/2" teak toe rail extending aft to cockpit
- Teak cabin nosing
- 2 teak handrails
- Teak cockpit combing
- All exterior teak bright varnish
- 2 solid teak handrails on cabin top
- 6 stainless steel opening ports
- White powder coated aluminium windshield with 3 opening vents & 3 wiper blades
- 4 Lewmar aluminium anodized hatches
- Molded fibreglass settee & 2 molded helm seats at bridge
- Hinged engine & storage access
- Hatches in cockpit sole
- Solid teak swim platform
- 3" foam upholstered cockpit cushions

## MECHANICAL

- Twin Yanmar 315 hp diesel engines with flexible engine mounts
- Yanmar C-type engine instrument panels with alarms
- Dual density engine sound insulation
- Isolated bilge area under engines
- Dual raw water cooled exhausts with mufflers
- Two 1 1/2" Aqua Met propeller shafts with zinc anodes
- Bronze stuffing boxes
- Bronze shaft struts
- Two 4 blade bronze propellers
- Bronze rudders
- Dual engine room ventilation
- Two 150 US gallon vented fuel tanks with level indicator at helm
- Dual Racor fuel filters

- Dual raw water intakes with strainers
- Hydraulic steering
- Single lever throttle & gear shift controls
- Bennett trim tabs
- Stainless steel steering wheel

## PLUMBING

- Pressure water with hot & cold faucets in head/shower and galley
- Water heater, 6 gallon, 110V & engine heat exchanger
- 60 U.S. gallon stainless steel water tank with level indicator at helm
- Polished stainless steel sinks in galley & head
- Single lever chromed brass faucets
- Rigid colour coded PVC plumbing
- Marine manual toilet with 30 US gallon stainless steel holding tank
- Holding tank overboard discharge with 12V macerator
- All sea cocks Marelon
- 2 - 1000 gallon per hour bilge pumps with float switches
- Integrated manual bilge pump

## PROPANE

- Two - burner Force 10 stove
- Remote solenoid gas shutoff
- 10lb. propane tank & regulator
- All hoses & connections meet Coast Guard or ABYC requirements

## INTERIOR

- Main bulkheads Formica covered marine plywood fibreglassed to hull & deck
- All other bulkheads & faces marine grade plywood fibreglassed to hull & deck
- Varnished interior teak trim
- Cabin & locker doors solid teak framed
- Varnished teak hi-lo dinette table top that converts to double berth
- Varnished teak & holly cabin sole
- Removable overhead panels in satin white
- All exposed interior fibreglass in locker interiors covered with teak, cedar or gelcoat
- Formica countertops in galley & head
- All latches, hinges, catches & pulls are chromed bronze or brass
- Mirror in head
- Towel rack & toothbrush holder
- 5" foam upholstered cushions in main cabin & 6" foam in V berth

## ELECTRICAL

- All wiring sized & colour coded to ABYC specs.
  - 12V D.C. custom distribution panel with meters
  - 110V AC custom power distribution panels with meter & polarity indicator
  - 110V 30amp Shore power with 50' cord
  - 110V outlets in galley, head, dinette & engine room with ground fault protection
  - Two engine starting batteries in boxes
  - Two house batteries in boxes
  - 3 explosion proof master battery selection switches
  - 30 amp battery charger
  - 12V Norcold refrigerator
  - 4 chrome overhead reading lights in galley, dinette, head & V berth
  - 2 chrome swivel reading lights in V berth
  - Engine room lighting
  - 3 windshield wipers w/independent on/off switches at helm
  - Running lights & anchor light
  - 2 cockpit courtesy lights
  - Electric horn
  - Fire extinguishers in cabin & cockpit
  - Light at Danforth compass
-